



# SAFETY DATA SHEET

## Section 1: IDENTIFICATION

### 1.1 PRODUCT IDENTIFIER

**Product Name:** CEG-Lite Part A  
**Product Code:** Not available.

### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Use:** Epoxy grout.

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

**Name/Address:** Custom Building Products  
13001 Seal Beach Blvd  
Seal Beach, CA  
90740

**Telephone Number:** (562) 598-8808

### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone Number:** INFOTRAC 1-800-535-5053 (US and Canada)  
INTERNATIONAL + 1-352-323-3500

## Section 2: HAZARD(S) IDENTIFICATION

### 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

#### Hazard class

Acute toxicity 3 (Inhalation)  
Skin irritation 2  
Serious eye damage 1  
Respiratory sensitization 1  
Skin sensitization 1  
Carcinogenicity 1A  
Reproductive toxicity 2  
Specific target organ toxicity - Repeated exposure 1

### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

#### Hazard Pictogram:



**Signal Word:** Danger

**Hazard Statement:** Toxic if inhaled. Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility or the unborn child. Causes damage to lungs through prolonged or repeated exposure.

**Prevention:** Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Obtain



## SAFETY DATA SHEET

special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

- Response:** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention.
- Storage:** Store in a well-ventilated place. Keep container tightly closed. Store locked up.
- Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.

### 2.3 ADDITIONAL INFORMATION

**Hazards not otherwise classified:** Not applicable.

**WHMIS Classification(s):**

- Class D2A – Carcinogenicity
- Class D2A - Reproductive Toxicity
- Class D2A - Respiratory Sensitization
- Class D2A - Chronic Toxic Effects
- Class D2B - Skin Sensitization
- Class D2B - Skin/Eye Irritation

**WHMIS Hazard Symbols:**



**WHMIS Signal Word:** DANGER

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

Ingredient	CAS No	Wt. %
Titanium dioxide	13463-67-7	10 - 30
Silica, crystalline, quartz	14808-60-7	10 - 30
Diethylenetriamine	111-40-0	10 - 30
Isophorone diamine	2855-13-2	7 - 13
Benzyl alcohol	100-51-6	3 - 7
Ferric oxide	1309-37-1	3 - 7
Bisphenol A	80-05-7	3 - 7
Copper phthalocyanine	147-14-8	1 - 5
Tetraethylenepentamine	112-57-2	1 - 5
Silica, amorphous, fumed	112945-52-5	0.5 - 1.5



## SAFETY DATA SHEET

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

### Section 4: FIRST-AID MEASURES

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURE

- Eye:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
- Skin:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical advice/attention.
- Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Eye:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
- Skin:** Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause sensitization by skin contact.
- Inhalation:** Toxic if inhaled. May cause respiratory tract irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes damage to lungs through prolonged or repeated exposure.
- Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

#### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

- Note to Physicians:** Symptoms may not appear immediately.
- Specific Treatments:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

### Section 5: FIRE-FIGHTING MEASURES

#### 5.1 FLAMMABILITY

- Flammability:** Not flammable by WHMIS/OSHA criteria.

#### 5.2 EXTINGUISHING MEDIA

- Suitable Extinguishing Media:** Treat for surrounding material.
- Unsuitable Extinguishing Media:** Not available.

#### 5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

- Products of Combustion:** May include, and are not limited to: oxides of carbon.



# SAFETY DATA SHEET

## Explosion Data:

**Sensitivity to Mechanical Impact:** Not available.

**Sensitivity to Static Discharge:** Not available.

## 5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Cleaning-Up:** Scoop up material and place in a disposal container. Provide ventilation.

## Section 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

**Handling:** Avoid contact with skin and eyes. Use only in well-ventilated areas. Do not breathe vapor or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. (See section 8)

**General Hygiene Advice:** Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Storage:** Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Keep dry in storage. (See section 10)

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

#### Exposure Guidelines

Ingredient	Occupational Exposure Limits	
	OSHA-PEL	ACGIH-TLV
Titanium dioxide	15 mg/m <sup>3</sup> (total dust)	10 mg/m <sup>3</sup>
Silica, crystalline, quartz	((10 mg/m <sup>3</sup> )/(%SiO <sub>2</sub> +2) (resp)) ((30 mg/m <sup>3</sup> )/(%SiO <sub>2</sub> +2) (total)) ((250)/(%SiO <sub>2</sub> +5) mppcf (resp))	0.025 mg/m <sup>3</sup>
Diethylenetriamine	1 ppm (8 hr limit)	1 ppm
Isophorone diamine	Not available.	Not available.
Benzyl alcohol	Not available.	Not available.
Ferric oxide	10 mg/m <sup>3</sup>	5 mg/m <sup>3</sup> (iron oxide fume; dust as Fe)
Bisphenol A	Not available.	Not available.



## SAFETY DATA SHEET

Copper phthalocyanine	Not available.	Not available.
Tetraethylenepentamine	Not available.	Not available.
Silica, amorphous, fumed	Not available.	Not available.

### 8.2 EXPOSURE CONTROLS

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### 8.3 INDIVIDUAL PROTECTIVE MEASURES

#### Personal Protective Equipment:

**Eye/Face Protection:** Safety glasses or goggles are recommended when using product.

#### Skin Protection:

**Hand Protection:** Wear chemical-resistant gloves.

**Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** A NIOSH approved particulate respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

**General Health and Safety Measures:** Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Wash contaminated clothing before reusing.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Paste-like compound (pigmented)
<b>Color:</b>	Not available.
<b>Odor:</b>	Amine odor.
<b>Odor Threshold:</b>	Not available.
<b>Physical State:</b>	Liquid.
<b>pH:</b>	10.12
<b>Melting Point/Freezing Point:</b>	Not available.
<b>Initial Boiling Point and Boiling Range:</b>	Not available.
<b>Flash Point:</b>	> 100 °C (> 212 °F)
<b>Evaporation Rate:</b>	Not available.
<b>Flammability:</b>	Not flammable.
<b>Lower Flammability/Explosive Limit:</b>	Not available.
<b>Upper Flammability/Explosive Limit:</b>	Not available.
<b>Vapor Pressure:</b>	Not available.
<b>Vapor Density:</b>	Not available.
<b>VOC:</b>	Less than 40g/L, when mixed per instruction



## SAFETY DATA SHEET

<b>Relative Density/Specific Gravity:</b>	~ 1.3
<b>Solubility:</b>	Miscible in water.
<b>Partition coefficient: n-octanol/water:</b>	Not available.
<b>Auto-ignition Temperature:</b>	Not available.
<b>Decomposition Temperature:</b>	Not available.
<b>Viscosity:</b>	~500 kcps
<b>Oxidizing Properties:</b>	Not available.
<b>Explosive Properties:</b>	Not available.

### Section 10: STABILITY AND REACTIVITY

#### 10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

#### 10.2 CHEMICAL STABILITY

Stable under normal storage conditions.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

#### 10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.

#### 10.5 INCOMPATIBLE MATERIALS

Acids. Oxidizers. Moisture.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

### Section 11: TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**Likely Routes of Exposure:** Skin contact, skin absorption, eye contact, inhalation, and ingestion.

**Symptoms related to physical/chemical/toxicological characteristics:**

**Eye:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

**Skin:** Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

**Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

**Inhalation:** Toxic if inhaled. May cause respiratory tract irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Causes damage to lungs through prolonged or repeated exposure.



## SAFETY DATA SHEET

**Acute Toxicity:**

Ingredient	LC50	LD50
Titanium dioxide	Not available.	Oral >10000 mg/kg, rat Dermal >10000mg/kg, rabbit
Silica, crystalline, quartz	Not available.	Oral TD <sub>10</sub> 120 g/kg, rat
Diethylenetriamine	Not available.	Oral 1080 mg/kg, rat Dermal 1090 mg/kg, rabbit
Isophorone diamine	Not available.	Oral 1030 mg/kg, rat
Benzyl alcohol	Inhalation 8.8 mg/L 4 h, rat	Oral 1230 mg/kg, rat Dermal 2000 mg/kg, rabbit
Ferric oxide	Not available.	Oral >10000 mg/kg, rat
Bisphenol A	Not available.	Oral 3200 mg/kg, rat Dermal 3 mL/kg, rabbit
Copper phthalocyanine	Not available.	Not available.
Tetraethylenepentamine	Not available.	Oral 2100 mg/kg, rat Dermal 660 µL/kg, rabbit
Silica, amorphous, fumed	Not available.	Oral 3160 mg/kg, rat

**Calculated overall Chemical Acute Toxicity Values**

LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
8.8 mg/L 4 hr, rat	> 2000 mg/kg, rat	> 2000 mg/kg, rabbit

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Titanium dioxide	G-A4, I-2B, O, CP65
Silica, crystalline, quartz	G-A2, I-1, N-1, O, CP65
Diethylenetriamine	Not listed.
Isophorone diamine	Not listed.
Benzyl alcohol	Not listed.
Ferric oxide	G-A4, I-3
Bisphenol A	Not listed.
Copper phthalocyanine	Not listed.
Tetraethylenepentamine	Not listed.
Silica, amorphous, fumed	I-3

\* See Section 15 for more information.

**11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE**

- Skin Corrosion/Irritation:** Causes skin irritation.
- Serious Eye Damage/Irritation:** Causes serious eye damage.
- Respiratory Sensitization:** May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sensitization:** May cause an allergic skin reaction.
- STOT-Single Exposure:** Based on available data, the classification criteria are not met.
- Chronic Health Effects:**
  - Carcinogenicity:** May cause cancer.
  - Germ Cell Mutagenicity:** Based on available data, the classification criteria are not met.



## SAFETY DATA SHEET

### Reproductive Toxicity:

**Developmental:** Suspected of damaging the unborn child.

**Teratogenicity:** Based on available data, the classification criteria are not met.

**Embryotoxicity:** Based on available data, the classification criteria are not met.

**Fertility:** Suspected of damaging fertility.

**STOT-Repeated Exposure:** Causes damage to lungs through prolonged or repeated exposure.

**Aspiration Hazard:** Based on available data, the classification criteria are not met.

**Toxicologically Synergistic Materials:** Not available.

**Other Information:** Not available.

### Section 12: ECOLOGICAL INFORMATION

#### 12.1 ECOTOXICITY

**Acute/Chronic Toxicity:** May cause long-term adverse effects in the aquatic environment.

#### 12.2 PERSISTENCE AND DEGRADABILITY

Not available.

#### 12.3 BIOACCUMULATIVE POTENTIAL

**Bioaccumulation:** Not available.

#### 12.4 MOBILITY IN SOIL

Not available.

#### 12.5 OTHER ADVERSE EFFECTS

Not available.

### Section 13: DISPOSAL CONSIDERATIONS

#### 13.1 WASTE TREATMENT METHODS

**Disposal Method:** This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

**Other disposal recommendations:** Not available.

### Section 14: TRANSPORT INFORMATION

#### 14.1 UN NUMBER

**DOT**

Not regulated.

**TDG**

Not regulated.

#### 14.2 UN PROPER SHIPPING NAME

**DOT**

Not applicable.

**TDG**

Not applicable.





## SAFETY DATA SHEET

### 14.3 TRANSPORT HAZARD CLASS (ES)

**DOT**  
Not applicable.

**TDG**  
Not applicable.

### 14.4 PACKING GROUP

**DOT**  
Not applicable.

**TDG**  
Not applicable.

### 14.5 ENVIRONMENTAL HAZARDS

Not available.

### 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

### 14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

## Section 15: REGULATORY INFORMATION

### 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

**US:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Titanium dioxide	Not listed.	Not listed.	Not listed.	Not listed.
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.
Diethylenetriamine	Not listed.	Not listed.	Not listed.	Not listed.
Isophorone diamine	Not listed.	Not listed.	Not listed.	Not listed.
Benzyl alcohol	Not listed.	Not listed.	Not listed.	Not listed.
Ferric oxide	Not listed.	Not listed.	Not listed.	Not listed.
Bisphenol A	Not listed.	Not listed.	Not listed.	313
Copper phthalocyanine	Not listed.	Not listed.	Not listed.	Not listed.
Tetraethylenepentamine	Not listed.	Not listed.	Not listed.	Not listed.
Silica, amorphous, fumed	Not listed.	Not listed.	Not listed.	Not listed.

### State Regulations

#### California Proposition 65:

This product contains chemicals known to the State of California to cause cancer (Silica, crystalline; Titanium dioxide).



## SAFETY DATA SHEET

**Global Inventories:**

Ingredient	Canada DSL/NDL	USA TSCA
Titanium dioxide	DSL	Yes.
Silica, crystalline, quartz	DSL	Yes.
Diethylenetriamine	DSL	Yes.
Isophorone diamine	DSL	Yes.
Benzyl alcohol	DSL	Yes.
Ferric oxide	DSL	Yes.
Bisphenol A	DSL	Yes.
Copper phthalocyanine	DSL	Yes.
Tetraethylenepentamine	DSL	Yes.
Silica, amorphous, fumed	DSL	No.

**NFPA National Fire Protection Association:**

<b>Health:</b>	3
<b>Fire:</b>	1
<b>Reactivity:</b>	0

**HMIS-Hazardous Materials Identification System**

<b>Health:</b>	3*
<b>Fire:</b>	1
<b>Physical Hazard:</b>	0

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

**SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:**

**CP65 California Proposition 65**

**OSHA (O) Occupational Safety and Health Administration.**

**ACGIH (G) American Conference of Governmental Industrial Hygienists.**

- A1 - Confirmed human carcinogen.
- A2 - Suspected human carcinogen.
- A3 - Animal carcinogen.
- A4 - Not classifiable as a human carcinogen.
- A5 - Not suspected as a human carcinogen.

**IARC (I) International Agency for Research on Cancer.**

- 1 - The agent (mixture) is carcinogenic to humans.
- 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

**NTP (N) National Toxicology Program.**

- 1 - Known to be carcinogens.
- 2 - Reasonably anticipated to be carcinogens.

**Section 16: OTHER INFORMATION**

**Date of Preparation:** November 26, 2013

**Version:** 1.0

**Revision Date:** November 26, 2013



## SAFETY DATA SHEET

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.  
Phone: (519) 488-5126  
[www.nexreg.com](http://www.nexreg.com)

**Prepared for:** Custom Building Products

**End of Safety Data Sheet**