

# **PRODUCT CATALOGUE**



AUSTRALIAN DESIGNED MANUFACTURED OWNED



65 Dunn Road, Rocklea QLD 4106 sales@actaus.com 1300 794 321 actaus.com

#### **PROUDLY AUSTRALIAN**

We are a proud 100% Australian owned manufacturer of premium tile & stone installation systems. We maximise the use of Australian raw materials and suppliers to support our local economy.

Based in Rocklea, Queensland, our fully automated state of the art production facility produces the highest quality products for the tiling, flooring and waterproofing trades in the construction and building industry.

#### EXPERIENCE

With over 35 years of industry knowledge & experience we know what fixing systems and products work and back it up with an industry best 15 Year product warranty.

Premium quality product and exceptional customer service are at the core of our business.

Choosing ACT Australia as your partner will guarantee superior product range and personalised approach tailored to your individual circumstances.

#### QUALITY

With our strict in-house quality control testing practices, you can be sure the product you've sourced for your investment is of the highest quality... every time.

#### INNOVATION

Our R&D team continuously evaluates new raw materials as they become available. It enables ACT Australia to be at the forefront of technology and innovation including our recent development of ADH-77 Soundflex Adhesive and SPECTRUM FUTURA Lightweight Coloured Grout.











**Extended Coverage** 

# **ADH-33** Premium Rubber Modified C2ETS1

Extended Coverage C2 - High Adhesion Strength Non-slump Green Star Compliant & Low VOC **Recycled Rubber** 

COLOUR	Light Grey
LOCATION	Internal, External
SURFACES	Walls, Floors
COVERAGE	Product Calculator
PACKAGING	20kg

RUBBEF



#### **Outstanding Workability**

# **ADH-44** Premium Powder Mastic C2ETS1

Faster setting adhesive Most economical C2 - High Adhesion Strength Non-slump Green Star Compliant & Low VOC

COLOUR	Off-White
LOCATION	Internal, External
SURFACES	Walls, Floors
COVERAGE	Product Calculator
PACKAGING	20kg



#### Strong and Flexible

# **ADH-55** Premium Polymer Modified C2ETS2



Ideal for driveways and high traffic areas
C2 - High Adhesion Strength
S2 - Highly Deformable Adhesive
Non-slump
Green Star Compliant & Low VOC

COLOUR	Off-White
LOCATION	Internal, External, Pools
SURFACES	Walls, Floors
COVERAGE	Product Calculator
PACKAGING	20kg



# TILE & STONE ADHESIVES



Made with Recycled Glass

# ADH-66 Light Premium Lightweight C2ETS2

Ideal for swimming pools Highest Adhesion Strength S2 - Highly Deformable Adhesive Non-slump Green Star Compliant & Low VOC



COLOUR	White
LOCATION	Internal, External, Pools
SURFACES	Walls, Floors
COVERAGE	Product Calculator
PACKAGING	13kg



# One-part Soundproof Adhesive

# ADH-77 Soundflex Highly Flexible Acoustic C2TS2



Unique one-part soundproof adhesive	COLOUR	Light Grey
Highly Flexible	LOCATION	Internal, External
C2 - High Adhesion Strength	SURFACES	Walls, Floors
Green Star Compliant & Low VOC Floor Soundproofing System*	COVERAGE	Product Calculator
Direct to Yellow Tongue Installation**	PACKAGING	13kg
* ADH-77	LOCATION	Internal
* <b>ADH-77</b> Direct to Yellow Tongue	LOCATION COVERAGE	Internal ~ 3m²
ADH-//		
Direct to Yellow Tongue		
Direct to Yellow Tongue		

COVERAGE

~ 2m<sup>2</sup>



HGHU

**ADH-77** Floor Soundproofing System





# SPECTRUM FUTURA



#### **Best Coloured Grout**

# **Spectrum Futura** Premium Lightweight Coloured Grout







#### Leading quality and workability

# **Spectrum Futura S-25** Acetic Cure Silicone

Excellent grout matching colours Excellent adhesion and flexibility Weather & UV resistant Mould & Mildew resistant Low sag, non-slump Fast cure Quick application & clean up S=25 Fibor Fibor Tile Tile Backing Rod Fibor Tile

JOINT	25% movement
LOCATION	Internal, External
SURFACES	Walls, Floors
COVERAGE	15m at 5mm bead
PACKAGING	310ml tube





# LEVELLER & SCREED



# Internal and External Application

# LVL-25 Premium Self-Levelling Cement

Tiles can be laid after 4 hours Exceptional bond strength Smooth hard-wearing finish User friendly & quicker application Hand trowel or pump system Low VOC & Green Star Compliant

THICKNESS	25mm to feather edge
COLOUR	Grey
LOCATION	Internal, External
COVERAGE	4m <sup>2</sup> at 3mm thickness
PACKAGING	20kg



#### **Engineered Strength**

# **SCR-100** Pre-Blended Engineered Screed

One component mix with water system Economical Can be tiled over after 24 hours Excellent workability Mix with AD-1 to Increase compressive strength, flexibility and adhesion.

THICKNESS	up to 100mm
COLOUR	Grey
LOCATION	Internal, External
COVERAGE	1m <sup>2</sup> at 10mm thickness
PACKAGING	20kg



Enhance Screed Performance **AD-1**Acrylic Polymer Additive

See page 7



DHESIO



#### **Enhance Screed Performance**

## **AD-1** Acrylic Polymer Additive

**Easy Application** Waterproof Increases tensile & compression strength Increases flexibility **Reduces shrinkage** Improves shock & frost resistance



# **PR-1** Impervious Substrate Primer

Easy application & fast drying Textured finish Eliminates removal of existing substrate Priming over: Existing tiles, vinyl & paints Epoxy coatings & most metals Scyon & Cemintel boards Other non-porous surfaces





FLEXIBILIT ADHESION

COLOUR	Blue
LOCATION	Internal, External Covered
SURFACES	Walls, Floors
COVERAGE	~ 15m² per 1L
PACKAGING	1L, 4L, 10L



#### **Porous Substrates**

# **PR-2** Acrylic Multipurpose Primer

Easy application Reduces porosity of substrate Eliminates dust Suitable for internal and external use Extends open time of adhesives

COLOUR	Green
LOCATION	Internal, External
SURFACES	Walls, Floors
COVERAGE	~ 10m² per 1L
PACKAGING	4L, 20L





# ΑΤΕΙ



#### Easy application & Quick drying

### **WP-1 PINK** Rapid-drying Undertile Waterproof Membrane

Low VOC content Accommodates cracking in substrates High adhesion to a wide variety of substrates Cures to a textured finish Compatible with ACT tile adhesives Premixed & Fast Curing Infused Primer Technology (IPT)



COLOUR	Pink
LOCATION	Internal, External, Pools
SURFACES	Walls, Floors
COVERAGE	~ 2m² per 1L per coat
PACKAGING	4L, 15L



#### Waterproofing Bond Breaker

# **MS-PU** Modified Silane-Polyurethane Sealant

VOC & Isocyanate Free **Excellent** adhesion Fast skinning time **UV** Stable Joint flexibility 25% Excellent bond breaker material Paintable

JOINT	25% movement
LOCATION	Internal, External, Pools
SURFACES	Walls, Floors
COVERAGE	~ 24m at 5x5mm joint
PACKAGING	600ml sausage



#### Hydrostatic Membrane

**EP-2** 

# 2-Part Epoxy Primer & Moisture Barrier



Can be applied to damp substrates	LOCATION	Internal, External, Pools
Low VOC & odour	SURFACES	Walls, Floors
Non-flammable	JORFACES	
Can be painted over	COVERAGE	~ 3m² per 1L per coat
Excellent moisture resistance for both	PACKAGING	20L kit (Part A & Part B)
positive and negative applications		





#### **Roof and Gutters**

# WP-1 GREY Trafficable UV-stable Membrane

Low VOC, energy & cost efficient Seamless waterproofing system High adhesion & tensile strength Fungal and algal resistant Suitable for cement & metal roofing Aids to reduce internal temperatures Elastomeric, even after weathering

#### **Retaining Walls**

### **RW-1** Water-based Bitumen Waterproofing Membrane

Retaining walls & below-ground applications Easy application & quick drying Strong adhesion & high flexibility Safe for collection of drinking water Remains watertight under permanently wet conditions

COLOUR	Black
LOCATION	Internal, External
SURFACES	Walls, Floors
COVERAGE	~ 1.6m² per 1L per coat
PACKAGING	15L



# **WP Bandage**

Waterproofing Polyester Bandage 100mm x 50m roll

# **FLEXIBLE** Range

Accommodates structural movement Fast and easy application Highly durable and tear resistant

# Bandage 120mm x 10m

**Internal Corner 90°** 

**External Corner 270°** 

Pipe & Tap Sleeve





STABLE	
Grey	
nternal, External	

~ 3.2m<sup>2</sup> per 1L per coat

Walls, Floors

12L

COLOUR

LOCATION

SURFACES

COVERAGE

PACKAGING

## Perfection in Tile Laying Systems





Ergonomic design for less fatigue on hands Blue Wedge Features Super Large Thumbprint, Doubles as 3mm spacer Strong & Flexible Clip with 'T-Post' design that breaks at base every time Highly Durable Wedge with Passive Teeth Profile for quicker application







1.5mm Red Clip

🚺 3mm Yellow Clip

Blue Wedge

TILES	5mm to 14mm thick
PACKAGING	450 box, 1800 box
TILES	5mm to 14mm thick
PACKAGING	450 box, 1800 box
TILES	11mm to 20mm thick
PACKAGING	400 box, 1600 box

250 box

PACKAGING

SOUND PROOFING



Unique Soundproof Adhesive

Floor Soundproofing System



**Classic Soundproofing Choice** 

# **SP-MAT** Acoustic Soundproof Underlay

Recycled materials & Eco-friendly Suited to multi-storey buildings Commercial and domestic applications Outstanding compressive strength Outstanding load bearing capacity Mould and mildew resistant

THICKNESS	3mm, 5mm
WIDTH	1200mm
COVERAGE	3mm - 18m2 per roll 5mm - 15m2 per roll
PACKAGING	3mm - 15m roll 5mm - 10m roll

