actaus.com

SAFETY DATA SHEET SPECTRUM FUTURA GROUT 1 of 7

Updated 18/04/2023

Classified as hazardous according to criteria of Worksafe Australia

Section 1: Identification of the substance/mixture and of the company

1:1 Product Identifier

Product Name: Spectrum Futura Lightweight Grout

Other Names: None **Product Code:** SFG

1:2 Relevant identified uses of the product

A lightweight cement-based wall and Application:

floor grout suitable for internal &

external applications

1.3 Supplier details

Supplier: Adhesive Construction Technology Pty

Ltd (ABN: 65 167 149 233)

Address: 65 Dunn Rd Rocklea QLD 4106 Phone: 1300 794 321 | 07 3255 5601

Emergency Phone: 1300 794 321

The information contained in this safety data sheet is accurate on the date of issue and in accordance with the information available at that time. Persons dealing with products referred to in this safety data sheet do so at their own risk. ACT Australia accepts no liability whatsoever for damage or injury, however caused, arising from use of this information or of suggestions contained herein.

Section 2: Hazard Identification

2:1 Classification of product

GHS: Skin Irritation HC-2 (H315), Eye Irritation HC-2A (H319), STOT SE HC-3 (H335), STOT RE HC-2 (H373)





Signal Word: WARNING

Hazard Statements:

H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation H373 May cause damage to organs through

prolonged or repeated exposure

Precautionary Statements:

P260 Do not breathe dust

P280 Wear protective gloves, eye and face

protection

P264 Wash skin thoroughly after handling



SAFETY DATA SHEET SPECTRUM FUTURA GROUT 2 of 7

Updated 18/04/2023

P271 Use in well-ventilated area

P305+P351+P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing

P332 + P313 If eye irritation persists seek medical

advice/attention

P302 + P352 IF ON SKIN: Wash with plenty of soap

and water

P304+P340 IF INHALED: Remove victim to fresh air

and keep at rest in a position comfortable for breathing

P332+313 If skin irritation occurs, seek medical

advice/attention

P312 Call a POISON CENTRE or

doctor/physician if you feel unwell.
Dispose of contents/container in

accordance with local regulations

2.3 Other hazards Other hazards: N/A

Section 3: Composition/Information on Ingredients

3:1 Mixtures

P501

This product contains cement

Chemical Name	CAS-No.	%	Hazard Classifica	Hazard Classification	
Portland Cement	65997-15-1	30-50%	STOT SE HC-3 Skin Irritation HC-2 Eye Irritation HC-2 STOT RE HC-2	H335 H315 H319 H373	
Non Hazardous Ingredients	N/A	50-70%	N/A		

Section 4: First Aid Measures

4:1 Description of first aid measures

Inhalation: Move subject to fresh air. Monitor and

consult a physician if concerned

Skin Contact: Wash affected areas thoroughly with

soap & water. Consult a physician if

irritation persists

Eye Contact: Flush eyes with large amount of water

for at least 15 minutes, holding eyelids apart. Consult a physician if irritation

persists

Ingestion: Flush mouth with copious amounts of

water. Consult a physician



SAFETY DATA SHEET SPECTRUM FUTURA GROUT 3 of 7

Updated 18/04/2023

4:2 Symptoms caused by exposure

Inhalation: Dust may irritate airway and cause

coughing

Skin Contact: Dust may irritate moist skin

Prolonged exposure could result in allergic reaction such as a rash or

burning sensation

Eye Contact: Contact with eye can cause permanent

eye damage – immediately seek first aid

Ingestion: Can cause irritation to the throat and

stomach

4:3 Medical Attention and Special Treatment

N/A

Section 5: Fire Fighting Measures

5:1 Suitable extinguishing media

This is a non-flammable material. Use suitable extinguishing media for the surrounding area.

5:2 Specific hazards

None Applicable

5:3 Special protective equipment and precautions for fire fighters

Chemical resistant clothing should be used along with respiratory protection.

Section 6: Accidental Release Measures

6:1 Personal precautions, protective equipment and emergency procedures

Wear appropriate clothing, gloves, eye protection and facemask to avoid inhalation and contact with skin or eyes.

Emergency Procedures: N/A

6:2 Environmental precautions

Do not allow this product to be released into storm water drains, creeks or open bodies of water. Dispose in accordance with local regulations.

6:3 Methods and materials for contaminant and cleaning up

In dry form: Vacuum where possible. Sweep with a brush or broom.

In wet form: Cover any drains and wipe product with a cloth. Dispose in accordance

with local regulations.

Section 7: Handling and Storage

7:1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid dust.

7:2 Conditions for safe storage, including any incompatibilities

Store in a cool dry location in a closed container to avoid dust.

Incompatibilities: N/A

Section 8: Exposure Controls and Personal Protection

8:1 Control parameters

The exposure limits for ingredients are listed below



SAFETY DATA SHEET SPECTRUM FUTURA GROUT 4 of 7

Updated 18/04/2023

Chemical Name	CAS No.	Exposure Limit	Type	References
Portland Cement – respirable dust	65997-15-1	3 mg/m ³	TWA	USECHH 2000
Portland Cement – inhalable dust	65997-15-1	10 mg/m ³	TWA	USECHH 2000

8:2 Exposure controls

Provide adequate ventilation. Observe occupational exposure limits and minimise risk of inhalation & contact with skin & eyes

8:3 Personal protective equipment (PPE)

Wear protective gloves

Wear goggles/face shield

Wear protective clothing including boots

Face protection should be used in connection with splashing work

Use respiratory equipment with particle filter during dust raising work

The use of barrier cream is recommended

Remove all contaminated PPE carefully to avoid contact with skin or eyes. Wash contaminated clothing thoroughly before reuse. Wash skin with soap and water after work

Environmental exposure controls: Not available

Section 9: Physical and Chemical Properties

9:1 Physical and chemical properties

Appearance: Fine cement powder in various colours

Odour: Cement Odour threshold: N/A

pH: Alkaline (approx. 12 when mixed with

water)

Flash point:

Flammability limits:

Solubility in water:

Non-combustible

Not Available

Miscible in water

Stable: Stable

Vapour pressure: Not Available

Specific gravity: 3
Volatile component: N/A
Auto ignition temp N/A

Section 10: Stability & Reactivity

10:1 Reactivity

None known

10:2 Chemical stability

Product is stable under normal temperature conditions

10:3 Conditions to avoid

See incompatible materials

10:4 Incompatible materials and possible hazardous reactions

Incompatible materials: None Known

Hazardous reactions: N/A

AUSTRALIA ENGINEERED ADHESION actaus.com

SAFETY DATA SHEET SPECTRUM FUTURA GROUT 5 of 7

Updated 18/04/2023

10:5 Hazardous decomposition products

N/A

Section 11: Toxicological Information

11:1 Information and symptoms related to exposure

Acute Toxicity: No data available

Skin corrosion/irritation: Repeated or prolonged exposure to skin

can cause dermatitis

Serious eye damage/irritation: Exposure can cause serious

conjunctivitis, blepharitis and general

irritation to the eyes

Respiratory or Skin Sensitisation: Dust can irritate airways. Prolonged

exposure may cause coughing or

wheezing

Germ Cell Mutagenicity:

Carcinogenicity:

No data available

No data available

Reproductive Toxicity:

No data available

Specific Target Organ Toxicity (STOT)

Single Exposure: Can cause coughing and irritation to

airway

Repeated Exposure: Repeated exposure over a long period of

time may cause coughing and phlegm, shortness of breath and wheezing

Aspiration Hazard: No data available

11.2 Numerical measures of toxicity

No data available

11.3 Immediate, delayed or chronic health effects from exposure

Immediate: Irritation of the skin, eyes & respiratory

tract

Delayed: Allergic skin reaction, irritation,

coughing wheezing & possible injury to

eyes

Chronic: Increased chance of bronchitis,

conjunctivitis, ulcers of the nose &

dermatitis

11.4 Exposure levels

Exposure levels: See table in section 8:1

11.5 Interactive effects

Inhalation: Respiratory conditions such as asthma

can increase risk of coughing and

wheezing

Skin contact: Sensitivity of the skin can lead to

greater risk of allergic skin reactions

11.6 Data limitations

Data limitations: N/A

Section 12: Ecological Information

12:1 Ecotoxicity

This product is not expected to be hazardous to the environment

AUSTRALIA ENGINEERED ADHESION actaus.com

SAFETY DATA SHEET SPECTRUM FUTURA GROUT 6 of 7

Updated 18/04/2023

12:2 Degradability

When mixed with water this product will form to a hard mass that is non-degradable

12:3 Bio-accumulative potential

No data available

12:4 Mobility in soil

No data available

12:5 Other adverse effects

None known

Section 13: Disposal Considerations

Section 13:1 Safe disposal of product and packaging

Dispose of all waste in accordance with local regulations

Waste is considered hazardous. However, product hardened with water is considered non hazardous

Packaging is recyclable when all traces of material have been cleaned from bag Do not allow product to enter sewerage system of storm water drain, this will block pipes

Section 14: Transport Information

14:1 UN number:None allocated14:2 Proper shipping name:None allocated14:3 Transport hazard class:None allocated14:4 Packaging group:None allocated14:5 Environmental hazards:N/A

14:6 Special transport precautions: N/A
14:7 Hazchem code: N/A

Section 15: Regulatory Information

 ${\bf 15:1 \ Safety, health \ and \ environmental \ regulations \ specific \ to \ the \ product}$

N/A

15:2 Poisons schedule number

N/A

Section 16: Regulatory Information

This SDS has been prepared 18th April 2023. This SDS will be reviewed every 5 years. The latest version of this SDS will be available for download from actaus.com This SDS may change from time to time as new information becomes available or in the case of a change in formulation. This SDS is has been prepared as a new document to bring into line with Globally Harmonized System requirements.

16:2 Abbreviations and acronyms used in this SDS

GHS = Globally Harmonized System

HC - = Hazard Category

CAS = Chemical Abstract Service

N/A = Not Applicable

TWA = Time Weighted Average

USECHH = Use and Standard of Exposure Chemical Hazardous to Health.

STOT = Specific Target Organ Toxicity

STOT SE = Specific Target Organ Toxicity - Single Exposure



SAFETY DATA SHEET SPECTRUM FUTURA GROUT 7 of 7

Updated 18/04/2023

STOT RE = Specific Target Organ Toxicity - Repeated Exposure mg/m3 = milligram per cubic metre

This SDS has been prepared using information provided by the manufactures of the ingredients contained in this product. This product is a mixture of ingredients.

.... END OF SDS

This SDS has been developed in accordance to Worksafe Australia/NOHSC guidelines